

中国 安徽 合肥市  
双凤工业区金福路12号  
合肥丰祥热缩材料科技有限公司  
VP Engineering 或其他UL相關負責人



VP Engineering  
HEFEI FENGXIANG HEAT SHRINKABLE MATERI  
SHUANGFENG INDUSTRIAL ZONE  
CHANGFENG  
HEFEI  
ANHUI 231131 CHINA

Date: 2015/05/13  
Subscriber: 100575300  
PartySite: 638492  
File No: E352639  
Project No: 15SR2527806  
PD No: 15022488  
Type: R  
PO Number:

Subject: **Procedure And/Or Report Material**

The following material resulting from the investigation under the above numbers is enclosed.

**Issue**

<u>Date</u>	<u>Vol</u>	<u>Sec</u>	<u>Pages</u>	<u>Revised Date</u>
2012/06/21	1	1	Cert of Compliance	

Resending COC to the client

Inspections at your plant will be conducted under the supervision of SHARI ZHENG, UL INSPECTION CENTER SHANGHAI, NO 68 HUATUO RD, BLDG 9, ZHANGJIANG HI-TECK PARK, PUDONG NEW AREA, SHANGHAI, ., China, 201203., PHONE: 21-6364-6538, FAX: 21-3868-2860, EMAIL: SHIC@CCICSHANGHAI.COM

Please file revised pages and illustrations in place of material of like identity. New material should be filed in its proper numerical order.

NOTE: Follow-Up Service Procedure revisions DO NOT include Cover Pages, Test Records and Conclusion Pages. Report revisions DO NOT include Authorization Pages, Indices, Section General Pages and Appendixes.

Please review this material and report any inaccuracies to UL's Customer Service Professionals.

Contact information for all of UL's global offices can be found at

<http://www.ul.com/global/eng/pages/corporate/contactus>.

If you'd like to receive updated materials FASTER, UL offers electronic access and/or delivery of this material. For more details, contact UL's Customer Service Professionals as shown above.

This material is provided on behalf of UL LLC(UL) or any authorized licensee of UL.

TKY File

UL INSPECTION CENTER 749

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20150313-E352639  
**Report Reference** E352639-20120621  
**Issue Date** 2015-MARCH-13

**Issued to:** HEFEI CHENGXIN HEAT SHRINKABLE  
MATERIAL PRODUCT FACTORY  
SHUANGFENG INDUSTRIAL ZONE  
CHANGFENG  
HEFEI  
ANHUI 231131 CHINA

**This is to certify that  
representative samples of** COMPONENT - TUBING, FLAME RETARDANT  
Refer next page for models

Have been investigated by UL in accordance with the  
Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** UL 224 - Extruded Insulating Tubing  
**Additional Information:** See the UL Online Certifications Directory at  
[www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's  
Certification and Follow-Up Service.

Recognized components are incomplete in certain constructional features or restricted in performance  
capabilities and are intended for use as components of complete equipment submitted for investigation rather  
than for direct separate installation in the field. The final acceptance of the component is dependent upon its  
installation and use in complete equipment submitted to UL LLC.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please  
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20150313-E352639  
**Report Reference** E352639-20120621  
**Issue Date** 2015-MARCH-13

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

USR: Recognized Component – Flame Retardant Tubing, Flexible Heat Shrinkable Polyolefin –

Cat. No.	Color(s)	Generic Material and Type	Recovered Internal Diameter, mm
T2#	All Colors except black and clear	Irradiation cross-linked Polyolefin	0.55 and 15.0 only
T2#	Black	Irradiation cross-linked Polyolefin	0.55 – 15.0
T7#	Black	Irradiation cross-linked Polyolefin	0.55 – 15.0

# - May be followed by internal suffix code



Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

